



LCD Motorized Lift System

Introduction:

LCD Motorized Lift system is designed for advanced conference system. When ordinary meeting, the LCD monitors are inside the LCD Lift to keep the tabletop even and neat; when multimedia meeting, the LCD monitor can be lifted up separately, grouply or all display the multimedia information including meeting content, information hint and picture information, ect. It is widely used for video conference system, TV conference system, and financial analyzing system and so on.

The product adopts synchronous orbit lifting principle. It runs smoothly, quietly, and provided with the protection function f the LCD monitors by cutting the power off automatically. The machine is controlled by three motors: one controls the angle adjustment of the monitor. The panel switch adopts the durable and excellent material's nice-looking film switch. The product support RS-485 communication protocols. It can be distantly controlled by central control. It supports wireless connection too, possessing the function of organizing the monitors into groups freely.

Images shows:






Detail Parameter:

Item Model	BLL-17	BLL-19	BLL-22
Style	LCD lift without monitor	LCD lift without monitor	LCD lift without monitor
Products consitute	LCD monitor lift+ Remote control	LCD monitor lift + Remote control	LCD monitor lift+Remote control
Panel size	492*158mm	545*158mm	638*190mm
Box size	467*140*650mm	513*140*650mm	614*162*660mm
Panel thickness	4mm	4mm	4mm
Lift mount size	418*81mm	468*81mm	550*94mm
Packing size	60*27*78mm	61*27*84	73*72*30
Voltage	110V,220V,240V	110V,220V,240V	110V,220V,240V
Power	20~25W	20~25W	20~25W
Pitch angle	0~15°	0~15°	0~15°
Single trip time	30s	30s	30s
Working temp	5~40	5~40	5~40
Environmental temp	20~60	20~60	20~60
Related humidity	20~80%	20~80%	20~80%
Color	Silvery/Black matt/ Golden	Silvery/Black matt/ Golden	Silvery/Black matt/ Golden
Remote distance	10m	10m	10m
Material	Aluminum alloy draw bench panel	Aluminum alloy draw bench panel	Aluminum alloy draw bench panel

Bo Ente Industrial Co., Limited

Control Way	Touch key-press/ Remote control/RS485 central control	Touch key-press/Remote control/ RS485 central control	Touch key-press/Remote control/ RS485 central control
Running Way	Tubu motor with rack driving	Tubu motor with rack driving	Tubu motor with rack driving
Protection way	Cable Manager/Protection finger from nipping	Cable Manager/Protection finger from nipping	Cable Manager/Protection finger from nipping
Power Protection way	Monitor turn off automatically	Monitor turn off automatically	Monitor turn off automatically

Detail Drawing shows:



Function:

1. Electric control, lifting comfortable, height-adjustable.
2. Flexibility, stability, good shockproof performance.
3. Suit for 15~22 inch LCD monitor of various brands.
4. Automatic opening and closure of decorative panels, stainless steel panel, angle regulate automatically.
5. Very easy operation for any to control all lifts UP/DOWN together by one remote controller.
6. Wireless network control: support RS232, RS 485.
7. Tilting angle: ± 15 degree

Detail Successful Project:

